

Anti-Aging Daily Hair Conditioning Treatment

H-1002-01

DESCRIPTION

This hair conditioner was designed to strengthen the hair and improve shine and comb ability. This formula can be used daily without build-up.

ADVANTAGES

The presence of **FANCORSIL® LIM-2** in this conditioner repairs the hair cuticle, increases strength of hair and improves hair shine, feel and combability.

ANTI-AGING HAIR COMPLEX™ provides improved hair appearance and texture, lustre and emolliency, shine and slip, enhanced durability of hair color and Vitamin E, a natural anti-oxidant.

SPECIFICATIONS

Viscosity: RV T-E @ 20rpm 5,000 – 6,500cps

pH: 5.4 – 5.8

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		85.50
	Brassica Alcohol (and) Brassicamidopropyl Dimethylamine (and) Polyester-11 (and) Aspartic Acid (and) EDTA (Kerabase)	Inolex	8.00
	Panthenol	BASF	0.50
B	Hydrogenated Polyisobutene (FANCOL® POLYISO® 250-CG)	Elementis	2.00
	Crambe Abyssinica Seed Oil (and) Hydrogenated Polyisobutene (and) PEG-2 Dimeadowfoamamidoethylmonium Methosulfate (and) Olea Europaea (Olive) Oil Unsaponifiables (ANTI-AGING HAIR COMPLEX™)	Elementis	2.00
C	Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin (Spectrastat)	Inolex	1.00
	Dimethicone PEG-8 Meadowfoamate (FANCORSIL® LIM-2)	Elementis	1.00

Procedure:

1. Combine Phase A ingredients and mix with moderate speed propeller mixing. Heat to 80-85°C and hold for 10-15 minutes with mixing. Keep vessel covered.
2. Combine Phase B and add to Phase A with propeller mixing.
3. Begin cooling.
4. At 60°C, add Phase C ingredients to batch.
5. Cool to 30°C with moderate speed propeller mixing.

Reference: 03253-34

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 May 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563