

# Blossom Bursting Pore Refiner

F-2016-02

## DESCRIPTION

This pore mimimizer gives a rich, luxurious foam, which can be applied to the skin and rinsed off with water to cleanse, leaving the skin feeling moisturized.

## ADVANTAGES

**RHEOLUXE® 811** enables a smooth and even application on the skin and stabilizes the emulsion with its outstanding viscosity control.

**BETFAN™ M** is suitable for sensitive skin applications due to its very mild surfactancy properties. It also causes less defatting of the skin and helps skin conditioning.

## SPECIFICATIONS

**Viscosity:** DV-II, Spindle 2. 100rpm  
42.8 cps

**pH:** 5.0-6.0

**Appearance:** Clear thin liquid

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		49.06
	Sodium Lauroyl Sarcosinate (Medilan LD)	Clariant	15.00
	Meadowfoamamidopropyl Betaine ( <b>BETFAN™ M</b> )	<b>Elementis</b>	10.00
	Glycerin		7.00
	Aloe Barbadensis Leaf Juice		3.00
	Rosa Damascena Flower Water		3.00
	Steareth-100/PEG-136/HDI Copolymer ( <b>RHEOLUXE® 811</b> )	<b>Elementis</b>	1.00
	Sodium Hyaluronate (1% Solution Hyacare)	Evonik	1.00
	Caprylhydroxamic Acid (and) Propandiol (Zeastat)	Inolex	1.00
B	PEG-40 Hydrogenated Castor Oil (Tagat CH40)	Evonik	5.00
	Isopentyldiol (and) Trifolium Pratense (Clover) Flower Extract (Miniporyl)	Lucas Meyer	2.00
	Perfume Sea Rose	Spinnrad	0.10
C	CI 60730 (0.1% Solution Ext. Violet 2)	Sun Chemical	0.25
D	Citric Acid (10% Aqueous Solution)		1.89

## Procedure:

1. Add RHEOLUXE® 811 to Phase A with stirring for 10 minutes.
2. Add Phase B to Phase A and mix.
3. Add Phase C and mix.
4. Adjust pH with Phase D.

Reference: 105-54

*NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.*

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 March 2018

### North America

Elementis  
469 Old Trenton Road  
East Windsor, NJ 08512, USA  
Tel.: +1 609 443 2500  
Fax: +1 609 443 2422

### Europe

Elementis UK Ltd.  
c/o Elementis GmbH  
Stolberger Strasse 370  
50933 Cologne, Germany  
Tel.: +49 221 2923 2066  
Fax: +49 221 2923 2011

### Asia

Deuchem (Shanghai) Chemical Co., Ltd.  
99, Lianyang Road  
Songjiang Industrial Zone  
Shanghai, China 201613  
Tel.: +86 21 5774 0348  
Fax: +86 21 5774 3563