

CC Cream Multifunctional Hydrator

C-1001-01

DESCRIPTION

A light CC cream that provides a natural even coverage as it hydrates the skin. The additional benefit of UV protection and skin brightening make this a truly multifunctional product, leaving skin soft and radiant.

ADVANTAGES

BENTONE GEL® ABO V provides rheological control, ease of application and even coverage.

FANCOR® ABYSSINIAN OIL improves dispersion of pigments and promotes an even smooth delivery onto the skin.

SPECIFICATIONS

Viscosity: RV, Spindle T-E, 20 rpm, 13,000cps

pH: 5.45

Appearance: Tan smooth cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		50.95
	Glycerin		2.00
	Sodium Chloride		1.00
B	Ethylhexylmethoxycinnamate		7.50
	Crambe Abyssinica Seed Oil, Distearidimonium Hectorite, Propylene Carbonate (BENTONE GEL® ABO V)	Elementis	6.45
	Isonononyl Isononanoate (Wickenol 151)	Alzo	4.50
	Isostearyl Neopentanoate (Crodamol ISNP-LQ)	Croda	4.50
	Polyglyceryl-3 Polyricinoleate (Imwitor 600)	Cremer	3.00
	Carthamus Tinctorius (Safflower) Seed Oil, Crambe Abyssinica Seed Oil, Butyrospermum Parkii (Shea Butter), Olea Europaea (Olive) Oil Unsaponifiables, Lecithin (AFRICAN HYDRATION COMPLEX™)	Elementis	3.00
	Tocopheryl Acetate		0.10
C	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	6.00
	Titanium Dioxide (Unipure White)	Sensient	2.50
	Iron Oxides (Unipure Yellow LC182)	Sensient	2.35
	Iron Oxides (Unipure Red LC381)	Sensient	1.40
	Iron Oxides (Unipure Black LC989)	Sensient	0.75
D	Butylene Glycol, Vibrio Algnolyticus Ferment Filtrate (Exo-T)	Lucas Meyer	2.00
	Water, Glycerin, Rumex Occidentail Extract (Tyrostat)	Lucas Meyer	1.00
	Phenoxyethanol, Benzoic Acid, Dehydroacetic Acid, Ethylhexylglycerin (Euxyl K701)	Schulke & Mayr	1.00

Procedure:

1. Heat Phase A and Phase B to 95°C..Add Phase A to Phase B with mixing for 10 minutes.
2. Premix Phase C and add to Phase A/B. Mix. Cool to 40°C.
3. Add Phase D and mix well.

Reference: BY-3170-44

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563