

Color Care Daily Conditioner

H-1007-01

DESCRIPTION

This conditioner was designed for daily use to help protect hair color without causing building. Shine, softness and manageability are noticeably improved with use.

ADVANTAGES

The presence of **FANCOR® ABYSSINIAN OIL** in this conditioner:

- Improves softness
- Improves hair shine, feel and combability

The combination of **FANCORSIL® LIM-2** and **MEADOWQUAT® HG-70** have been added to protect hair color. **FANCORSIL® LIM-2** repairs hair, leaving the cuticle smooth, improving the condition, shine and manageability. **MEADOWQUAT® HG-70** enhances the color durability and condition of hair.

SPECIFICATIONS

Viscosity: RV T-D @ 20rpm 10,500 – 12,500cps

pH: 5.8 – 6.2

Appearance: White, viscous cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		83.90
	Butylene Glycol		2.50
	Caprylyl Glycol (and) Caprylhydroxamic Acid (and) Glycerin (Spectrastat)	Inolex	0.90
	Calcium Pantothenate	BASF	0.20
B	Cetearyl Alcohol (and) Behentrimonium Methosulfate (Incroquat Behenyl TMS PA)	Croda	5.00
	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	3.00
	Isopropyl Palmitate		1.00
	Cetearyl Alcohol	Croda	1.50
	Dimethicone Meadowfoamate (FANCORSIL® LIM-2)	Elementis	1.00
	Cyclopentasiloxane (and) Cyclohexasiloxane (Xiameter-0245 fluid)	Dow Corning	2.00
C	PEG-2 Dimeadowfoamamidoethylmonium Methosulfate (MEADOWQUAT® HG-70)	Elementis	1.00

Procedure:

1. Combine Phase A ingredients and heat to 80°C with propeller mixing.
2. Heat Phase B to 80°C and add to Phase A with propeller mixing.
3. Cool to 45°C with mixing.
4. Add Phase C to batch.
5. Cool to 30°C.
6. Package as desired.

Reference: 03253-43/2

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 May 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563