

# Curl Enhancing Repairing Cream

H-1000-01

## DESCRIPTION

This rich styling cream was created to condition hair, restoring moisture, body and shine. This styler was created for thick, curly hair to enhance curls, minimize frizz and provide curl control.

## ADVANTAGES

The presence of **FANCOL® ABYSHEA** enhances shine and improves hair appearance and texture.

The combination of **MEADOWQUAT® HG-70** and **FANCORSIL® LIM-1** in this system provides protection from heat and mechanical damage to the hair.

**RHEOLUXE® 812** controls the viscosity of the system.

## SPECIFICATIONS

Viscosity: RV T-D @ 20rpm  
30,000 – 40,000cps

pH: 4.2 – 4.6

Appearance: White cream

Phase	Ingredient	Supplier	%w/w
A	Water		64.40
	Disodium EDTA	Akzo Nobel	0.10
	Glycerin		3.00
	Panthenol		0.50
	Dimethicone PEG-8 Meadowfoamate ( <b>FANCORSIL® LIM-1</b> )	<b>Elementis</b>	3.00
B	Glyceryl Stearate (and) PEG-100 Stearate (Lipomulse 165)	Lipo Chemicals	6.00
	Mineral Oil	Calumet Specialty	10.00
	Cetearyl Alcohol		2.00
	Crambe Abyssinica Seed Oil (and) Butyrospermum Parkii (Shea Butter) Extract ) ( <b>FANCOL® ABYSHEA</b> )	<b>Elementis</b>	5.00
C	PEG-2 Dimeadowfoamamidoethylmonium Methosulfate ( <b>MEADOWQUAT® HG-70</b> )	<b>Elementis</b>	3.00
	Phenoxyethanol (and) Benzoic Acid (and) Dehydroacetic Acid (and) Ethylhexylglycerin (Euxyl K701)	Schulke Mayr	1.00
	Bis-Lauryl Cocaminopropylamine/HDI/PEG-100 Copolymer (and) Butylene Glycol ( <b>RHEOLUXE® 812</b> )	<b>Elementis</b>	2.00

### Procedure:

1. Combine Phase A ingredients and heat to 80°C with propeller mixing.
2. Combine Phase B ingredients and heat to 80°C. Mix until uniform.
3. Add Phase B to Phase A with propeller mixing.
4. Begin cooling
5. At 40°C, add Phase C ingredients to batch one at a time.
6. Cool to room temperature with propeller mixing.

Reference: 03253-7

*NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.*

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 May 2018

### North America

Elementis  
469 Old Trenton Road  
East Windsor, NJ 08512, USA  
Tel.: +1 609 443 2500  
Fax: +1 609 443 2422

### Europe

Elementis UK Ltd.  
c/o Elementis GmbH  
Stolberger Strasse 370  
50933 Cologne, Germany  
Tel.: +49 221 2923 2066  
Fax: +49 221 2923 2011

### Asia

Deuchem (Shanghai) Chemical Co., Ltd.  
99, Lianyang Road  
Songjiang Industrial Zone  
Shanghai, China 201613  
Tel.: +86 21 5774 0348  
Fax: +86 21 5774 3563