

Firming Facial Creme

F-1008-01

DESCRIPTION

A creamy hydrating cream that restores moisture immediately as it helps to refine the skins texture and reduce the appearance of wrinkles.

ADVANTAGES

BENTONE® EW provides stable viscosity control and aids emulsion stability.

MEADOWLACTONE® helps to reduce the appearance of wrinkles and improves skin hydration.

SPECIFICATIONS

Viscosity: RV. Spindle T-E. 20rpm, 47,000-55,000 cps

pH: 5.9-6.3

Appearance: White cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		62.50
	Aloe Barbadensis Leaf Juice		1.00
	Disodium EDTA	Akzo	0.10
B	Butylene Glycol		8.00
	Hectorite (BENTONE® EW)	Elementis	3.00
C	Caprylic/Capric Triglyceride (Liponate GC)	Lipo	8.00
	Glyceryl Stearate (and) PEG-100 Stearate (Lipomulse 165)	Lipo	7.50
	Cetyl Esters		5.00
	Meadowfoam Delta-Lactone (MEADOWLACTONE®)	Elementis	3.00
	Meadowfoam Estolide (and) Meadowfoam Delta-Lactone (and) Crambe Abyssinica Seed Oil (and) Carthamus Tinctorius (Safflower) Seed Oil (and) Olea Europaea (Olive) Oil Unsaponifiables (and) Beta-Sitosterol (ANTI-AGING SKIN COMPLEX™)	Elementis	2.00
	Cetearyl Alcohol (and) Polysorbate 60 (Emulsifying Wax)		2.00
	Iodopropynyl Butylcarbamate (Troycare FL10)	Troy	0.20
D	Fragrance (Demure Jasmine Petals)		0.20

Procedure:

1. Disperse **BENTONE® EW** in Butylene Glycol. Add to remaining Phase A and mix with a propeller mixer. Heat to 75-80°C.
2. Heat Phase B to 80°C and add to Phase A with propeller mixing.
3. Cool with stirring to 40°C and add Phase C.
4. Cool with stirring.

Reference: 03253-57

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563