

# La La Lip Cream - Cognac

C-2012-02

## DESCRIPTION

A color cream for the lips with a non-greasy soft feel.

## ADVANTAGES

**BENTONE® LUXE WS** improves emulsion stability, while enhancing application.

**MEADOWESTOLIDE®** hydrates the lips.

## SPECIFICATIONS

Viscosity: DV-II. Spindle 7. 20rpm  
22,200 cps

Appearance: Thick red brown cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		55.50
	Glycerin		5.00
	Sodium Chloride		1.00
B	Cyclopentasiloxane (Mirasil CM5)	Bluestar	11.50
	Cyclopentasiloxane (and) PEG-10 Dimethicone (and) Distearidimonium Hectorite ( <b>BENTONE® LUXE WS</b> )	Elementis	10.00
	Dimethicone (and) Dimethicone Crosspolymer (Dowsil 9041 Silicone Elastomer Blend)	Dow Corning	7.50
	Hydrogenated Polyisobutene ( <b>FANCOL® POLYISO® 450-CG</b> )	Elementis	4.00
	Meadowfoam Estolide ( <b>MEADOWESTOLIDE®</b> )	Elementis	2.00
C	CI 77491 (Sun Croma Red Iron Oxide C33-8075)	Sun Chemical	2.00
	CI 77491 (Sun Croma Titanium Dioxide C47-056)	Sun Chemical	0.30
	CI 77742 (Sun Croma Manganese Violet C43-001)	Sun Chemical	0.20
D	Dehydroacetic Acid (and) Benzoic Acid (and) Phenoxyethanol (Sharonmix 700)	SLI Chemical	0.50
	Garnet Berry and Vanilla Fragrance	Spinnrad	q.s

### Procedure:

1. Heat Phase A to 75°C with mixing.
2. Heat Phase B to 75°C with mixing.
3. Add Phase C to Phase B using a Silverson homogenizer and mix for 10 minutes.
4. Add Phase A to Phase B/C. Continue to mix for 10 minutes.
5. Cool to 30°C using the propeller mixer and add Phase D. Mix until uniform.

Reference: 102-66

*NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.*

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

#### North America

Elementis  
469 Old Trenton Road  
East Windsor, NJ 08512, USA  
Tel.: +1 609 443 2500  
Fax: +1 609 443 2422

#### Europe

Elementis UK Ltd.  
c/o Elementis GmbH  
Stolberger Strasse 370  
50933 Cologne, Germany  
Tel.: +49 221 2923 2066  
Fax: +49 221 2923 2011

#### Asia

Deuchem (Shanghai) Chemical Co., Ltd.  
99, Lianyang Road  
Songjiang Industrial Zone  
Shanghai, China 201613  
Tel.: +86 21 5774 0348  
Fax: +86 21 5774 3563