

Natural Clay Face Mask

F-1004-01

DESCRIPTION

A creamy clay mask designed to cleanse and hydrate the skin.

ADVANTAGES

BENTONE® EW provides stable viscosity control and aids emulsion stability.

FANCOR® ABYSSINIAN OIL delivers an elegant and cushioned skin feel.

SPECIFICATIONS

Viscosity: RV. Spindle T-E. 20rpm, 47,000-55,000 cps

pH: 5.8-6.2

Appearance: Green cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		63.90
	Hectorite (BENTONE® EW)	Elementis	4.00
	Kaolin		4.00
	Disodium EDTA	Akzo	0.10
B	Glycerin		8.00
	Methyl Gluceth-10 (Glucam E-10)	Lubrizol	2.00
	Panthenol (Ritapan D)	Rita	0.50
C	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	5.00
	Stearic Acid		4.00
	Steareth-2	Croda	2.00
D	Chromium Oxide Green		1.00
	Zinc Oxide (Atlas White)	Sensient	1.00
E	Glycerin (and) Aloe Barbadosensis Leaf Juice (Aloe Vera PB in Glycerin)	Bio-Botanica	1.00
	Glycerin (and) Carica Papaya (Papaya) Leaf Extract (Papaya in Glycerin)	Bio-Botanica	1.00
	Glycerin (and) Matricaria Recutita (Chamomile) Extract (Chamomile in Glycerin)	Bio-Botanica	1.00
	Benzyl Alcohol (and) Ethylhexylglycerin (Euxyl K900)	Schulke	1.00
	Tocopherol Acetate	BASF	0.50

Procedure:

1. Combine Phase A with high shear for 10 minutes. Heat to 70°C. Add Phase B and mix with moderate propeller mixing.
2. Heat Phase C to 70°C and add to Phase A/B with stirring.
3. Cool to 50°C and add Phase D.
4. Cool to 40°C and add Phase E.
5. Cool to room temperature with stirring.

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563