

Sensitive Skin Shave Cream

F-1002-01

DESCRIPTION

A rich soothing shaving cream containing **MEADOWLACTONE®** for a close, comfortable shave.

ADVANTAGES

MEADOWLACTONE® reduces the coefficient of friction on skin and hair for a more comfortable shave. Skin appearance is improved with lasting moisturization, eliminating the rough texture due to dryness.

BENTONE® LT improves application.

MEADOWQUAT® HG-70 enhances emolliency and provides conditioning moisturization, leaving a smooth feel.

SPECIFICATIONS

Viscosity: RV. Spindle T-E. 20 rpm, 70,000-85,000 cps

pH: 7.0-7.4

Appearance: Thick pearly white cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		68.50
	Tetrasodium EDTA		0.10
B	Glycerin		4.00
	Hectorite (and) Hydroxyethylcellulose (BENTONE® LT)	Elementis	0.50
	Aloe Barbadensis Leaf Juice Extract	Botanigenics	0.50
C	Triethanolamine		0.50
	Sodium Hydroxide (50% Solution)		0.15
D	Stearic Acid		10.00
	Helianthus Annuus (Sunflower) Seed Oil (EMCON SUN)	Elementis	4.00
	Limnanthes Alba (Meadowfoam) Seed Oil (and) Butyrospermum Parkii (Shea Butter) Extract (FANCOL® VB)	Elementis	2.00
	Meadowfoam Delta-Lactone (MEADOWLACTONE®)	Elementis	2.00
	Palmitic Acid	Alzo	1.75
	Glyceryl Stearate (and) PEG-100 Stearate (Lipomulse 165)	Lipo Chemicals	1.20
	Polysorbate 60 (Tween 60)	Croda	1.00
E	PEG-2 Dimeadowfoamamidoethylmonium Methosulfate (MEADOWQUAT® HG-70)	Elementis	1.00
	Caprylhydroxamic Acid (and) Ethylhexylglycerin (and) Methylpropanediol (Spectrastat E)	Inolex	1.00
	Fragrance		0.30

Procedure:

1. Heat Phase A to 85°C and add Phase B with stirring.
2. Add Phase C and mix until uniform.
3. Heat Phase D to 85°C and add to Phase A/B/C. Mix for 10 minutes with propeller mixing.
4. Cool and add Phase E at 50°C. Continue cooling.

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563