

Silky Hair Conditioner With Abyssinian Oil

H-1010-01

DESCRIPTION

This daily conditioner was created to improve combability and increase shine.

ADVANTAGES

The presence of **FANCOL® ABYSSINIAN OIL** in this conditioner improves softness, hair shine, feel and combability.

RHEOLUXE® 812 provides viscosity control.

SPECIFICATIONS

Viscosity: RV T-E @ 10rpm, 25,000cps

pH: 4.3-4.9

Appearance: White viscous cream emulsion

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		90.30
	Lactic Acid, 88%		0.40
	Stearamidopropyl Dimethylamine (Lexamine S-13)	Inolex	1.50
	Disodium EDTA	Akzo Nobel	0.10
B	Crambe Abyssinica Seed Oil (FANCOR® ABYSSINIAN OIL)	Elementis	0.50
	Cetearyl Alcohol		4.00
C	Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin (Spectrastat)	Inolex	1.00
	Fragrance		0.70
D	Bis-Lauryl Cocaminopropylamine/HDI/PEG-100 Copolymer (and) Butylene Glycol (RHEOLUXE® 812)	Elementis	1.50

Procedure:

1. Combine Phase A ingredients and heat to 80-85°C with propeller mixing.
2. Add Phase B to Phase A with mixing.
3. Begin cooling. At 40-45°C add Phase C ingredients.
4. Cool to ambient temperature.
5. Add Phase D with propeller mixing.

Reference: 03442-32

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 May 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563