

Soothing After Shave Balm

F-1003-01

DESCRIPTION

This light hydrating balm was created to soothe dry irritated skin, especially after shaving.

ADVANTAGES

BENTONE® LT provides stable viscosity control and aids emulsion stability.

MEADOWLACTONE® helps eliminate the appearance of dry skin and helps adjust hydration levels of interstitial spaces and provides skin moisturization and protection benefits. It also contributes to an elegant after-feel.

SPECIFICATIONS

Viscosity: RV. Spindle T-D. 20rpm, 20,000-25,000 cps

pH: 5.3-5.7

Appearance: White cream

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		74.50
	Hectorite (and) Hydroxyethylcellulose (BENTONE® LT)	Elementis	0.60
B	Glycerin		3.00
	Propylene Glycol		2.00
	Caprylhydroxamic Acid (and) Caprylyl Glycol (and) Glycerin (Spectrastat)	Inolex	1.00
	Panthenol		0.50
	Disodium EDTA	Akzo	0.10
	Bisabolol	BASF	0.10
C	Hydrogenated Polyisobutene (FANCOL® POLYISO® 200-CG)	Elementis	8.00
	Emulsifying Wax		4.00
	Carthamus Tinctorius (Safflower) Seed Oil, Limnanthes Alba (Meadowfoam) Seed Oil, Olea Europaea (Olive) Oil Unsaponifiables, Lecithin, Butyrospermum Parkii (Shea Butter) Extract (MULTIPLE HYDRATION COMPLEX™)	Elementis	2.00
	Cetyl Alcohol		2.00
	Meadowfoam Delta-Lactone (MEADOWLACTONE®)	Elementis	1.00
	Cholesterol		0.10

Procedure:

1. Combine Phase A with propeller mixing and heat to 80°C.
2. Add Phase B to Phase A with propeller mixing.
3. Heat Phase C to 80°C and add Phase A/B with mixing.
4. Cool to room temperature.

Reference: 03253-19

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563