

Two Phase Make Up Remover

F-2000-02

DESCRIPTION

This formula removes waterproof make up from the skin without irritating it.

ADVANTAGES

FANCOL® POLYISO® 200-CG moisturizes and provides luster and emolliency.

SPECIFICATIONS

Appearance: Water thin two-phase clear liquid

Phase	Ingredient	Supplier	%w/w
A	Deionized Water		97.55
	Hexylene Glycol		1.00
	Dehydroacetic Acid (and) Benzyl Alcohol (Geogard 221)	Lonza	0.75
	Sodium Chloride		0.50
	Disodium EDTA	Akzo	0.20
B	Hydrogenated Polyisobutene (FANCOL® POLYISO® 250-CG)	Elementis	99.60
	Polaxamer 184 (Pluracare L-64)	BASF	0.40

Procedure:

1. Combine Phase A and heat to 60-70°C with moderate speed propeller mixing.
2. Combine Phase B and mix until uniform.
3. Cool Phase A to 40°C with mixing.
4. Add 50% of Phase A to 50% of Phase B into finished package.
5. Store any unused bulk as separate phases.

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 March 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563