

Invigorate

Charcoal Face Mask

#14243-1



This reinvigorating clay mask applies easily and affords you the ability to customize the chassis. The Bentone Hydroclay™ 2000 forms the base for the mask while the Tapioca Pure® adds a softer feel and some richness to the formula. Actiphyte™ Rosemary GL and Actiphyte™ Chamomile GL show some of the water based customizable options you entertain with this formula. The broad spectrum TroyCare™ PE73 provides the preservation for the system.

INCI Name	Brand Name	Function	Percent
Water			82.00
Propanediol	Zemea® Propanediol	Humectant	1.00
Glycerin	Glycerin 99.7% USP Kosher	Humectant	2.25
Hectorite	Bentone™ Hydroclay 2000	Rheology Modifier	7.00
Tapioca Starch	Tapioca Pure®	Aesthetic Modifier	3.00
Cetearyl Alcohol	Cetearyl Alcohol Pastilles NF Vegarol 1618 50:50	Rheology Modifier	3.00
Glycerin (and) Water (and) Rosmarinus Offcinalis (Rosemary) Leaf Extract	Actiphyte™ Rosemary GL	Botanical Extract	0.50
Glycerin (and) Water (and) Chamomilla Recutita (Matricaria) Flower Extract	Actiphyte™ Chamomile GL	Botanical Extract	0.50
Phenoxyethanol (and) Ethylhexylglycerin	TroyCare™ PE73	Emulsifier	0.50
Charcoal	Charcoal	Coloring Agent	0.25
			100.00%

Mixing Instructions

Combine Water, Zemea® and Glycerin and heat while mixing to approximately 60° C.

In a separate beaker, combine the Bentone Hydroclay™ 2000 and Tapioca Pure®, mixing thoroughly and then add the powder to the water mixture. Mix at moderate speed until thoroughly combined (no lumps detected).

Add the next three ingredients, one at a time, mixing thoroughly after each addition.

Add the Vegarol 1618 50:50 and the Actiphytes one at a time, mixing thoroughly after each addition.

Once uniform, remove from heat and begin to cool. Once the temperature reaches 45° C, add the TroyCare™ and mix until uniform.

Add the charcoal and mix until uniform and the batch reaches room temperature.

Viscosity: 1,210,000 cps 64/0.3 (LV)

Appearance: Thick, dark gray paste

