

Revitalize Overnight Moisturizer

#15122-1



This overnight cream lets your skin wake-up rejuvenated. Featuring and intense moisturization package of Genencare OSMS BA and ElfaMoist™ AC you get both an instant and long term hydration benefit. L22® turns back the clock of the skins lipid balance to mimic that of the 22 year old you. To stabilize the formula and provide the not overly heavy but still substantial feel we used the Bentone® Luxe WN water in oil emulsifier with a lighter emollient package.

| INCI | TRADE NAME | FUNCTION | SUPPLIER | % |
|--|----------------------|-------------------|-------------------------------|-------|
| PHASE A (MAIN) | | | | |
| Isostearyl Hydroxystearate | Schercemol™ SHS | Emollient | Lubrizol | 5.00 |
| Dodecane | Plantasens® Flash 80 | Emollient | Clariant | 5.00 |
| Propanediol | Zemea® Propanediol | Humectant | DuPont Tate & Lyle | 2.00 |
| Capric/Caprylic Triglyceride (and) Stearalkonium Hectorite (and) Polyglyceryl-3 Diisostearate (and) Polyglyceryl-3 Polyrici- noleate | Bentone® Luxe WN | Emulsifier | Elementis | 9.00 |
| Dimethicone (and) Cetearyl Di- methicone Crosspolymer | Velvesil* DM | Copolymer | Momentive | 6.00 |
| Jojoba Oil/Macadamia Seed Oil Esters (and) Squalene (and) Phytosterols (and) Phytosteryl Macadamiate (and) Tocopherol | L22® | Emollient | Floratech | 1.00 |
| PHASE B | | | | |
| Water | | | | 68.25 |
| Sodium Chloride | Salt | Stabilizing Agent | | 0.75 |
| Acetamidoethoxyethanol | ElfaMoist™ AC | Moisturizer | Nouryon | 2.00 |
| Betaine | Genencare® OSMS BA | Osmolyte | DuPont Industrial Biosciences | 2.00 |
| PHASE C | | | | |
| Phenoxyethanol (and) Ethylhex- ylglycerin | TroyCare™ PE73 | Preservative | Troy | 1.00 |
| TOTAL | | | | 100% |



Revitalize Overnight Moisturizer #15122-1



- Combine Schercemol™ SHS and Plantasens® in kettle, mixing thoroughly. Add remaining Phase A components one at a time, mixing thoroughly after each addition.
- In a separate kettle, combine the Water and Salt, mixing thoroughly. Add the remaining Phase B components one at a time, mixing thoroughly after each addition.
- Add the Phase B mixture to the Phase A mixture at high shear. Continue to mix until thoroughly combined.
- Reduce mixer speed and add the TroyCare™ PE73. Mix until thoroughly combined

pH: n/a Appearance: Off-White Cream Viscosity: 86,000

