

Revision Date: 08/05/2020

Silsoft™ 034 Fluid

SAFETY DATA SHEET

1. Identification

Product identifier: Silsoft™ 034 Fluid

Other means of identification

Synonyms: Alkyl Modified Trisiloxane

Recommended use and restriction on use

Recommended use: Industrial use Component in personal care products

Restrictions on use: Not known.

Manufacturer/Importer/Distr

ibutor Information

Momentive Performance Materials - Sistersville

10851 Energy Highway FRIENDLY WV 26146

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements Not applicable

Other hazards which do not result in GHS classification:

None.

SDS_US 1/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

3. Composition/information on ingredients

Substances

Composition Comments: The components are not hazardous or are below required disclosure limits.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical

advice. Never give liquid to an unconscious person.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Wash area with soap and water. Get medical attention if symptoms occur.

Eye contact: In the event of contact with the eyes, rinse thoroughly with clean water. Get

medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be

worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed

due to oxidative degradation.

Special protective equipment and precautions for firefighters

SDS_US 2/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Special fire fighting procedures:

Keep away from sources of ignition - No smoking. All equipment used when

handling the product must be grounded.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Keep unprotected persons away. Avoid contact with skin and eyes. Use personal protective equipment. Keep out of reach of children.

Methods and material for containment and cleaning

up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the

protective equipment section.

Notification Procedures: Remove sources of ignition. Pay attention to the risk of combustion by fire

or other sources of ignition.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin,

on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal

Protective Equipment.

Conditions for safe storage,

including any incompatibilities:

Keep in a cool, ventilated location far from heat source and flame Keep container closed. Use original container or packaging of similar material of

construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering

Controls

Provide eyewash station and safety shower. Local exhaust is recommended. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: No data available.

Eye/face protection: Safety glasses with side shields

Skin Protection

SDS_US 3/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Hand Protection: Use chemical-resistant, impervious gloves.

Other: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Mild

Odor threshold: No data available.

pH: No data available. No data available.

Melting point/freezing point: -62 °C

Initial boiling point and boiling range: 285 °C (1,013 hPa)

Flash Point: 110 °C (ASTM D 93)

Evaporation rate: < 1

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor pressure: < 1.33 hPa (20 °C)

Vapor density: > 1

Density: 0.8350 g/cm3 (25 °C)

Relative density: 0.8350 (25 °C)

Solubility(ies)

Solubility in water: Insoluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log

No data available.

Pow:

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.

SDS_US 4/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.VOC:; Not determined.

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Under normal conditions of storage and use, hazardous polymerization will

not occur.

Conditions to avoid: None known.

Incompatible Materials: None known.

Hazardous Decomposition

Products:

In case of fire, gives off (emits): Carbon dioxide Silicon dioxide.

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): > 5,000 mg/kg

Dermal

SDS_US 5/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Product: LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: NOAEL (Rat, Oral, 28 d): 1,000 mg/kg

Skin Corrosion/Irritation

Product: Draize (Rabbit): No skin irritation

Serious Eye Damage/Eye Irritation

Product: Draize (Rabbit): No eye irritation

Respiratory or Skin Sensitization

Product: , OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig)Did not cause

sensitization on laboratory animals.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: Ames-Test: negative

In vivo

Product: Micronucleus test (mouse): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

SDS_US 6/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Other effects: Animal toxicity studies indicate a very low order of acute toxicity following a

single peroral dose or skin penetration, minor transient skin irritation following a 4-hour contact period, and minor transient eye irritation (conjunctival redness and discharge) with no corneal injury or iritis. This

material was not mutagenic in an Ames bacterial assay.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Other adverse effects: No data available.

SDS_US 7/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SDS_US 8/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

1,1,1,3,5,5,5-Heptamethyl-3-octyltrisiloxane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

SDS_US 9/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Inventory Status:

inventory Status.		
Australia AICS:	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	None of the active ingredients are listed in DSL but all such components are listed in NDSL	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	On or in compliance with the inventory	Remarks: Please contact your supplier for further information on the inventory status of this material.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

16.Other information, including date of preparation or last revision

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0
PERSONAL PROTECTION	

SDS_US 10/11



Revision Date: 08/05/2020

Silsoft™ 034 Fluid

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 08/05/2020

Revision Date: No data available.

Version #: 3.0

Further Information: No data available.

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best ofour knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_US 11/11