

Aerosol Antiperspirant

B-2010-02

DESCRIPTION

This is a simple aerosol antiperspirant.

ADVANTAGES

BENTONE GEL® VS-5PC V helps suspend the Aluminum Chlorohydrate, while aiding redistribution of the actives and helps prevent nozzle blockage.

SPECIFICATIONS

Viscosity: DV-II. Spindle 6. 10rpm
100 cps

Appearance: Clear/White
suspension

Phase	Ingredient	Supplier	%w/w
A	Cyclopentasiloxane (Mirasil CM5)	Bluestar Silicones	10.00
	Cyclopentasiloxane (and) Distearidimonium Hectorite (and) Propylene Carbonate (BENTONE GEL® VS-5PC V)	Elementis	2.00
	Dimethicone (Dow Corning 200 Fluid 50cs)	Dow Corning	2.00
	Alcohol		0.50
B	Aluminum Chlorohydrate (MICRO-DRY 331)	Elementis	10.00
C	Propellant		75.50

Procedure:

1. Premix Phase A.
2. Add Phase B to Phase A with propeller mixer.
3. Fill and charge with Phase C.

Reference: 102-63

NOTE: The information herein is currently believed to be accurate. We do not guarantee its accuracy. Purchasers shall not rely on statements herein when purchasing any products. Purchasers should make their own investigations to determine if such products are suitable for a particular use. The products discussed are sold without warranty, express or implied, including a warranty of merchantability and fitness for use. Purchasers will be subject to a separate agreement which will not incorporate this document.

© Copyright 2018, Elementis Specialties, Inc. All rights reserved. Copying and/or downloading of this document or information therein for republication is not allowed unless prior written agreement is obtained from Elementis Specialties, Inc.

© Registered trademark of Elementis Specialties, Inc.

V02 April 2018

North America

Elementis
469 Old Trenton Road
East Windsor, NJ 08512, USA
Tel.: +1 609 443 2500
Fax: +1 609 443 2422

Europe

Elementis UK Ltd.
c/o Elementis GmbH
Stolberger Strasse 370
50933 Cologne, Germany
Tel.: +49 221 2923 2066
Fax: +49 221 2923 2011

Asia

Deuchem (Shanghai) Chemical Co., Ltd.
99, Lianyang Road
Songjiang Industrial Zone
Shanghai, China 201613
Tel.: +86 21 5774 0348
Fax: +86 21 5774 3563